




10/786507

Cofe

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application : Eric Bouillon et al.
Patent No. : 7,200,912
Issued : April 10, 2007
For : MAKING COMPOSITE MATERIAL PARTS FROM BLANKS MADE
BY REINFORCING A FIBER STRUCTURE AND/OR BONDING
FIBER STRUCTURES TOGETHER
Attorney's Docket : BDL-451XX

* * * * *
I hereby certify that this correspondence is being deposited with the
United States Postal Service as first class mail in an envelope
addressed to: ATTN: Certificates of Correction, Commissioner for
Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on 12-12-7.

By: 
Charles L. Gagnebin III
Registration No. 25,467
Attorney of Record

* * * * *
L E T T E R


Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
ATTN: Certificates of Correction

Sir:

Enclosed are two completed copies of Form PTO 1050. It is
requested that a Certificate of Correction be issued to correct the
mistakes of the Patent Office in the printing of the above-identified
patent.

Respectfully submitted,

ERIC BOUILLON ET AL

By: 
Charles L. Gagnebin III
Registration No. 25,467
Attorney of Record

WEINGARTEN, SCHURGIN,
GAGNEBIN & LEBOVICI LLP
Ten Post Office Square
Boston, Massachusetts 02109
Telephone: (617) 542-2290
Telecopier: (617) 451-0313

CLG/dmc
Enclosure
359936.1

Certificate
of Correction
DEC 18 2007

DEC 18 2007

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO : 7,200,912
 APPLICATION NO. : 10/786,507
 DATED : April 10, 2007
 INVENTOR(S) : Eric Bouillon et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1, line 40, "Lows" should read --tows--;

Column 4, after line 40, insert the following paragraph:

--In another aspect, the invention provides a method of making a fiber-reinforced composite material part in which a blank of a shape corresponding to that of the part to be made is prepared by a method as defined above, after which the blank is densified by depositing a matrix within the pores remaining in the or each consolidated fiber structure.--

Column 10, lines 1-8, replace the table as follows:

Part	P ₂	P ₃	P ₄	P ₅
Delaminating shear strength (Mpa)	35	45	60	25
Traction breaking strength (Mpa)		11		5

MAILING ADDRESS OF SENDER:

PATENT NO. 7,200,912

Weingarten, Schurgin, Gagnebin & Lebovici LLP
 Ten Post Office Square
 Boston, Massachusetts 02109

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. This information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22323-1450.
 CLG/dmc BDL-451XX 359937.1

DEC 18 2007

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO : 7,200,912
 APPLICATION NO. : 10/786,507
 DATED : April 10, 2007
 INVENTOR(S) : Eric Bouillon et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1, line 40, "Lows" should read --tows--;

Column 4, after line 40, insert the following paragraph:

--In another aspect, the invention provides a method of making a fiber-reinforced composite material part in which a blank of a shape corresponding to that of the part to be made is prepared by a method as defined above, after which the blank is densified by depositing a matrix within the pores remaining in the or each consolidated fiber structure.--

Column 10, lines 1-8, replace the table as follows:

Part	P ₂	P ₃	P ₄	P ₅
Delaminating shear strength (Mpa)	35	45	60	25
Traction breaking strength (Mpa)		11		5

MAILING ADDRESS OF SENDER:

PATENT NO. 7,200,912

Weingarten, Schurgin, Gagnebin & Lebovici LLP
 Ten Post Office Square
 Boston, Massachusetts 02109

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. This information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22323-1450.
 CLG/dmc BDL-451XX 359937.1

DEC 18 2007